


**A4-R2**  
**4 inch Remodel NON-IC Recessed Housing**

<b>Catalog #</b>		<b>Prepared by</b>	LiteHarbor
<b>Project</b>		<b>Date</b>	
<b>Notes</b>			



**4 inch Remodel NON-IC Recessed Housing**

**Housing**

- 1) Die-formed aluminum for maximum heat dissipation and rust protection
- 2) Designed for remodel installations
- 3) Housing can be installed in 1/2" to 1-3/8" thick ceilings.
- 4) Housing is Non-IC rated must be kept at least 3" away from insulation

**Junction Box**

- 1) ETL listed for through branch wiring
- 2) 2 in-2 out or 4 in-4 out J-box for your better choices
- 3) Designed for straight through conduit runs
- 4) 1/2" and 3/4" romex wiring knockouts

**Lamp**

See trim for max. wattage and lamp  
 CRI>80%  
 PF>0.9  
 Color Temperature:2700K-6500K

**Listing**

ETL listed for damp location W/Feed through

**Order Matrix**

**A      B      C      D      E**

<b>Item No.:</b> A4-R2
------------------------

<b>A</b>	Series
A4-R2	4"/Remodel Non-IC Housing

<b>B</b>	Input Voltage
	120V
277	277V

<b>C</b>	Lamp
P16	PAR16
P20	PAR20
R20	R20
GU10	GU10

<b>D</b>	Wattage
L8	LED 8W
L10	LED 10W

RECESSED DOWNLIGHT



Other Special requirement please confirm with factory

E	Color Temperature
27K	2700K
35K	3500K
50K	5000K
60K	6000K

RECESSED DOWNLIGHT



1055 CLARK BLVD, BRAMPTON, ON, L6T 3W4 Canada  
9057998009

## 4" TRIM OPTICS



**B4001**

**4" Baffle Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**B4002**

**4" Reflector Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**B4003**

**4" Eyeball Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**B4007**

**4" Large Gimbal Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**B4012**

**4" Gimbal Trim**

**Lamp:** R20/PAR20 LED E26 10W Max.



**B4301**

**4" Shower Baffle Trim with  
Fresnel Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**B4302**

**4" Shower Reflector Trim with  
Fresnel Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**B4400**

**4" Shower Trim with Frosted Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**B4401**

**4" Shower Baffle Trim with Sand  
Blasted Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**B4402**

**4" Shower Reflector Trim with  
Sand Blasted Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT



**B4501**  
**4" Shower Baffle Trim with Drop Opal**

**Lamp:** R20/PAR20 LED E26 8W Max.  
 Gasket used to prevent moisture  
 Wet location listed



**B4502**  
**4" Shower Reflector Trim with Drop Opal**

**Lamp:** R20/PAR20 LED E26 8W Max.  
 Gasket used to prevent moisture  
 Wet location listed



**B4601**  
**4" Shower Baffle Trim with Dome Lens**

**Lamp:** : R20/PAR20 LED E26 8W Max.  
 Gasket used to prevent moisture  
 Wet location listed



**B4602**  
**4" Shower Reflector Trim with Dome Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.  
 Gasket used to prevent moisture  
 Wet location listed



**B4701**  
**4" Shower Baffle Trim with Frosted Lens Clear in Centre**

**Lamp:** R20/PAR20 LED E26 8W Max.  
 Gasket used to prevent moisture  
 Wet location listed



**B4702**  
**4" Shower Reflector Trim with Frosted Lens Clear in Centre**

**Lamp:** R20/PAR20 LED E26 8W Max.  
 Gasket used to prevent moisture  
 Wet location listed



**B4801**  
**4" Shower Baffle Trim With Frosted Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.  
 Gasket used to prevent moisture  
 Wet location listed



**BD4001**  
**4" Baffle Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
 GU10 LED GU10 10W Max.  
 PAR16 LED E26 10W Max.



**BD4002**  
**4" Reflector Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
 GU10 LED GU10 10W Max.  
 PAR16 LED E26 10W Max.



**BD4003**  
**4" Eyeball Trim**

**Lamp:** MR16 LED GU5.3 10W Max.  
 GU10 LED GU10 10W Max.  
 PAR16 LED E26 10W Max.

RECESSED DOWNLIGHT





### BD4004

#### 4" Pinhole Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4004L

#### 4" Large Pinhole Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4005

#### 4" Slot Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4007

#### 4" Gimbal Ring Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4007L

#### 4" Large Gimbal Ring Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4012

#### 4" Gimbal Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4009

#### 4" Large Regress Rotating Eyeball Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4010

#### 4" Retractable Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4014

#### 4" Large Pinhole Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4015

#### 4" Slot Baffle Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.

RECESSED DOWNLIGHT



### BD4016

#### 4" Wall Wash Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4024

#### 4" Pinhole Reflector Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4022

#### 4" Accent Angle Cut Reflector Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4025

#### 4" Slot Trim with Reflector

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4026

#### 4" Wall Wash Trim with Reflector

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4301

#### 4" Shower Baffle Trim with Fresnel Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT



### BD4302

#### 4" Shower Reflector Trim with Fresnel Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BD4326

#### 4" Wall Washer Reflector Trim with Spread Lens

40° Adjustment  
**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed





### BD4401

#### 4" Shower Baffle Trim with Albalite

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BD4402

#### 4" Shower Reflector Trim with Albalite

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BD4501

#### 4" Shower Baffle Trim with Drop opal

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BD4502

#### 4" Shower Reflector Trim with Drop opal

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BD4601

#### 4" Shower Baffle Trim with Dome Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BD4602

#### 4" Shower Reflector Trim with Dome Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BD4701

#### 4" Shower Baffle Trim with Frosted Lens Clear in Centre

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BD4702

#### 4" Shower Reflector Trim with Frosted Lens Clear in Centre

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT





**BD4801**  
**4" Shower Baffle Trim with Frosted Lens**  
**Lamp:** MR16 LED GU5.3 8W Max.  
 GU10 LED GU10 8W Max.  
 PAR16 LED E26 8W Max.  
 Gasket used to prevent moisture  
 Wet location listed



**BD4802**  
**4" Shower Reflector Trim with Frosted Lens**  
**Lamp:** MR16 LED GU5.3 8W Max.  
 GU10 LED GU10 8W Max.  
 PAR16 LED E26 8W Max.  
 Gasket used to prevent moisture  
 Wet location listed



**B4802**  
**4" Shower Reflector Trim With Frosted Lens**  
**Lamp:** R20/PAR20 LED E26 8W Max.  
 Gasket used to prevent moisture  
 Wet location listed



**BD4902**  
**4" Clear Reflector Trim with Drop Glass**  
**Lamp:** MR16 LED GU5.3 8W Max.  
 GU10 LED GU10 8W Max.  
 PAR16 LED E26 8W Max.  
 Gasket used to prevent moisture  
 Wet location listed



**B4011**  
**4" Square Baffle Trim**  
**Lamp:** R20/PAR20 LED E26 10W Max.



**BS4001**  
**4" Square Baffle Trim**  
**Lamp:** R20/PAR20 LED E26 10W Max.



**BS4002**  
**4" Square Reflector Trim**  
**Lamp:** R20/PAR20 LED E26 10W Max.



**BS4007**  
**4" Square Gimbal Trim**  
**Lamp:** R20/PAR20 LED E26 8W Max.

RECESSED DOWNLIGHT





**BS4301**

**4" Square Shower Baffle Trim with Fresnel Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**BS4302**

**4" Square Shower Reflector Trim with Fresnel Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**BS4401**

**4" Square Shower Baffle Trim with Albalite Lens**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**BS4402**

**4" Square Reflector Trim with Albalite Lens**

**Lamp:** R20/PAR20 LED E26 10W Max.

Gasket used to prevent moisture  
Wet location listed



**BS4701**

**4" Square Shower Baffle Trim with Frosted Lens Clear in Centre**

**Lamp:** R20/PAR20 LED E26 10W Max.

Gasket used to prevent moisture  
Wet location listed



**BS4702**

**4" Square Shower Reflector Trim with Frosted Lens Clear in Centre**

**Lamp:** R20/PAR20 LED E26 8W Max.

Gasket used to prevent moisture  
Wet location listed



**BS4801**

**4" Square Shower Baffle Trim with Frosted Lens**

**Lamp:** R20/PAR20 LED E26 10W Max.

Gasket used to prevent moisture  
Wet location listed



**BS4802**

**4" Square Shower Reflector Trim with Frosted Lens**

**Lamp:** R20/PAR20 LED E26 10W Max.

Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT






### BD4011

#### 4" Square Baffle Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BD4017

#### 4" Square Retractable Trim

**Lamp:** MR16 LED GU5.3 10W Max.  
GU10 LED GU10 10W Max.  
PAR16 LED E26 10W Max.



### BDS4001

#### 4" Square Baffle Trim

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



### BDS4002

#### 4" Square Reflector Trim

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



### BDS4007

#### 4" Square Gimbal Trim

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.



### BDS4301

#### 4" Square Shower Baffle Trim with Fresnel Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BDS4302

#### 4" Square Reflector Trim with Fresnel Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BDS4401

#### 4" Square Shower Baffle Trim with Albalite Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT



### BDS4402

#### 4" Square Shower Reflector Trim with Albalite Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BDS4701

#### 4" Square Shower Baffle Trim with Frosted Lens Clear in Centre

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BDS4702

#### 4" Square Shower Reflector Trim with Frosted Lens Clear in Centre

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BDS4801

#### 4" Square Shower Baffle Trim with Frosted Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed



### BDS4802

#### 4" Square Shower Reflector Trim with Frosted Lens

**Lamp:** MR16 LED GU5.3 8W Max.  
GU10 LED GU10 8W Max.  
PAR16 LED E26 8W Max.  
Gasket used to prevent moisture  
Wet location listed

RECESSED DOWNLIGHT

