

DG6250 STEP LIGHT

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			



Description

Thermal protection integral to driver
Heavy duty, low profile aesthetic louver trim included
Integral brackets for installation hardware

LED LIGHT ENGINE

10W LED
3000K to 6000K
50,000 hours L70

Fluorescent

25w max
30000 hours

FACE PLATE

The faceplate is available in louver, angled louver, or etched glass, each faceplate is constructed from heavy duty casted aluminum
aceplates are available in a black powder coat finish

Order Matrix

Item No. DG6250	
------------------------	--

A	Series
DG6250	Step Light

B	Finish
BK	Black
WH	White
SV	Silver

C	Wattage
DG625	LED 10W
DG625	LED 15W
DG625	LED 20W
DG625	LED 25W

D	Color Temperature
35K	3500K
40K	4000K
60K	6000K

STEP LIGHT



FEATURES

Appearance simplicity, Steady, Simple but atmospheric.

Structure, electric security are complied to EN60598 GB7000 standard requirements.

Gasket for water tight seal in wet locations provides IP65 rating.

Luminous uniform with Ultra white glass.

Die casting aluminum alloy housing, lightweight, with good heat dissipation.

A variety of cover for choice, free collocation depend on your requirement.


Long life power driver 5,0000 hours service life with short circuit protection, open circuit protection, thermal protection etc. with the LED lamp life.

HOUSING

The housing is constructed of die-cast aluminum with less than .3% copper to prevent corrosion.

The housing comes standard with two 1/2" horizontal knockouts to accept the power feed.

Housing comes standard with captive painted stainless steel fasteners and a molded silicone gasket.



MOUNTING

Recessed wall mounted step light has bracket plates on the front of the housing allowing the bracket and housing to be secured to joists.

Optional bracket and bar hangers can be ordered for installation.

Specify -BR. Fixture is rated for indoor and outdoor applications, insulation must be kept 3" away from all sides of the fixture.

LISTING / WARRANTY

ETL Listed to US and Canadian standards for wet locations

5 Year LED Limited Warranty

APPLICATION

Suitable for residential stairs, Park Or Square step, Road isolation belt, Scenic spot indoor or outdoor step Light and the Lighting engineering




Other Special Requirements please Confirm with Factory



1055 CLARK BLVD, BRAMPTON, ON, L6T 3W4 Canada
9057998009

Dimensions



Famous Brand Light Source



OSRAM



CREE



Lumileds



Sanan optoelectronics

