

BL4-401
4" Ceiling LED Dome Light

Catalog #		Prepared by	LiteHarbor
Project		Date	
Notes			

Round Shape & Remodel Type



Round



Square

4" Ceiling LED Dome Light

Description

Liteharbor Interior Dome Lights are designed to reduce targeting and improve design for better quality light. Gentle light comes out after reflected through reflector, to achieve soft lighting without seeing the light source, replaced direct lighting, like a moon hanging on the ceiling. Lights are available with LED Lighting technology and offer a stylish sleek appearance.

Features

- Die cast aluminum body material with good heat dissipation
- High quality LED provides bright ambient lighting
- Higher reflection rate Reflector with nano powder sprayed on surface
- New construction is optional, no housing required
- Trimless design is available
- Use FT4 wire with high flame retardant grade
- Independent drive junction box, easy to replace
- Can be installed in 0.5 "to 1.25" thick ceilings
- Safe isolated power supply
- Flicker free stable dimming, can be compatible with multi brand dimmers

A B C D E

Item No.: BL4-401

A	Series
BL4-401	4" Round Shape & Remodel
BL4-401-NC	4" Round Shape & New Construction
BL4-S401	4" Square Shape & Remodel
BL4-S401-NC	4" Square Shape & New Construction
BL6-401	6" Round Shape & Remodel
BL6-401-NC	6" Round Shape & New Construction
BL6-S401	6" Square Shape & Remodel
BL6-S401-NC	6" Square Shape & New Construction

B	Input Voltage
	110V
277	277V

PANEL LIGHT



Easy tool-free installation, save time

Finish optional: White/ Black/ Satin Nickel/ Chrome, etc.

Listing & Warranty

ETL listed to US and Canadian standards

2 Year Limited Warranty

Specification

Round Item	BL4-401	BL6-401
Square Item	BL4-S401	BL6-S401
Size	4 inch	6 inch
Wattage	8W Max.	14W Max.
Luminous Efficiency	100LM/W	
Voltage	120V±10%, 277V AC, 50/60Hz	
Color Temperature	2700-6000K	
CRI	80+ / 90+	
PF	>0.9	
Dimmable	TRIAC	

Packing

Model Size	4 inch	6 inch
CTN Size	425x350x305mm	540x405x230mm
Inner Box Size	145x135x83mm	205x195x85mm
PCS/CTN	24 PCS/CTN	12 PCS/CTN

C	Color Temperature
27	2700K
30	3000K
40	4000K
50	5000K
60	6000K

D	Dimmable
	Non-Dimmable
DM	Dimmable


E	Finish
WH	White
BK	Black
SN	Satin Nickel
CH	Chrome

Back




Dimensions


BL4-401




BL6-401



BL4-S401




BL6-S401




PANEL LIGHT

Remodel


BL4-401 - 4inch & Round




BL6-401 - 6inch & Round



BL4-S401 - 4inch & Square




BL6-S401 - 6inch & Square




PANEL LIGHT

New Construction

BL4-401-NC - 4inch & Round




BL4-S401-NC - 4inch & Square




PANEL LIGHT

New Construction

BL6-401-NC - 6inch & Round



BL6-S401-NC - 6inch & Square



PANEL LIGHT