

## 3" & 4" Square New Construction LED Retrofit Trim

Catalog #	Prepared by	LiteHarbor
Project	Date	
Notes		



### ORDER MATRIX | Example:BL3-920-S-NC

A	B	C	D	E	F	G
A	Series					
BL3-920-S-NC	3" Square New Construction Retrofit Trim					
BL4-920-S-NC	4" Square New Construction Retrofit Trim					
B	Mounting					
	Remodel					
NC	New Construction					
C	Trim					
	Trimmed					
TL	Trimless					
D	Color Temperature					
27K	2700K					
30K	3000K					
40K	4000K					
50K	5000K					
60K	6000K					
E	Mounting Clips					
	Optional 1					
	Optional 2					
	Optional 3					

(Reference to the following page)



### Description

Use cold forging radiator with good heat dissipation. Peculiar vortex type outlet, to ensure that the light is soft, avoid glare, unique irregular shape make an impression. Independent power supply box, easy to maintain and replace. Brand chip and isolated power supply, safe and reliable. Dimming available, can be matched a variety of light regulator dimming stability, no strobe. Square outer ring is optional.

### Mounting & Clips

New construction is optional. Can be adapted to the 0.5 " to 1.5" ceiling. Easy installation, tool-free and save time. Various installation clip for choose. Two Clips Type: Install with no housing required. Three Clips Type: Install with housing required.

### Light Engine

Input Power: 3 Inch 12W/4 Inch 15W  
Input Voltage: 110V/277V AC 50/60 Hz  
PF: >0.98  
CRI:80+/90+  
CCT: 2700-6000K  
None Dimmable or TRIAC Dimmable  
Lumen Efficiency: 100lm/W

F	Dimmable
	Non-Dimmable
DM	Dimmable

G	Finish
BK	Black
WH	White
SN	Satin nickel

## Listing & Warranty

ETL listed to US and Canadian standards for wet locations

5-Year Limited Warranty

## Packing

### BL3-920-S-NC

CTN Size: L: 405×W: 455×H: 265mm

Inner Box Size: L: 130×W: 110×H:120mm


### BL4-920-S-NC

CTN Size: L:565×W:425×H:265mm


Inner Box Size: L:135×W:135×H:120mm

24PCS/CTN

## Dimensions



**BL3-920-S-NC**



**BL4-920-S-NC**

### 3" Item Mounting Clips Optional

①②③



Option①

Two Clips

No housing required



Option②

Three Clips

Housing is required



Optional③

Three Clips

Housing is required

#### 4" Item Mounting Clips Optional


①②③④



Option①

Two Clips

No housing required



Option②

Three Clips

Housing is required



Option③  
Three Clips  
Housing is required



Option④  
Two Clips  
Housing is required