


**A6-LPIA**  
**6 inch New Construction IC Airtight**  
**Slope Recessed Housing**

<b>Catalog #</b>		<b>Prepared by</b>	LiteHarbor
<b>Project</b>		<b>Date</b>	
<b>Notes</b>			



**6 inch New Construction IC Airtight Slope Recessed Housing**

**Housing**

- 1) Die-formed aluminum for maximum heat dissipation and rust protection
- 2) Designed for New Construction installation
- 3) Housing can be installed in 1/2" to 1-3/8" thick ceilings.

**Hanger Bar**

- 1) Allow housing to be positioned and locked at any point within a 24" joist span.
- 2) Can be shortened for 12" joists
- 3) Can be positioned on long or short axis of the housing
- 4) Contain integral nail
- 5) Hanger fit onto T-bar spline for quick alignment

**Junction Box**

- 1) ETL listed for through branch wiring
- 2) 4 in-4 out J-box
- 3) Designed for straight through conduit runs
- 4) 1/2" and 3/4" romex wiring knockouts

**Order Matrix**

A    B    C    D    E    F

**Item No.:A6-LPIA**

A	Series
A6-LPIA	6" New Construction IC Airtight Slope Housing

B	Input Voltage
120V	
277V	277V

C	LED Available
Cree	Cree
Citizen	Citizen
Epistar	Epistar
Seoul	Seoul
Osram	Osram

D	Wattage
L45	LED 45W

**Lamp & Socket**

See Trim for max. wattage and lamp

COB LED 45W

CRI>80%

PF>0.9

Color Temperature:3000K-6500K

	E	Color Temperature
30K	3000K	
65K	6500K	

	F	Lumen Output
2250	2250	Lumen
3600	3600	Lumen

**Listing**

ETL listed for damp location W/Feed through

Other Special requirement please confirm with factory



1055 CLARK BLVD, BRAMPTON, ON, L6T 3W4 Canada  
9057998009

## 6" SLOPE TRIM OPTICS



**BP6001**

6" Slope Trim With Baffle

Lamp: R30/PAR30 LED E26 18W Max.



**BP6002**

6" Slope Trim With Reflector

Lamp: R30/PAR30 LED E26 18W Max.